

TEST REPORT

REPORT NUMBER : TURA130086564
APPLICANT NAME **Bilgi Dağıtım Kitap Kırt. Ve Büro Malz. Tic. Ltd.Şti.**
Yenibosna Merkez Mah. 29 Ekim Cad. No:53 Bahçelievler - İstanbul
FAX NO : 0212 551 00 92
ADDRESS **Attention : Ahmet Yüksel (ayuksel@bilgi-dagitim.com, efe@bilgi-dagitim.com)**
SAMPLE DESCRIPTION : Bigpoint 10 colour phon carton
BUYER : TÜKİD
DATE IN : 06 June, 2013 (13:59)
DATE OUT : 17 June, 2013
PRODUCT'S CODE : BP70200, BP70100, BP70000
PHOTO OF PRODUCT TESTED :



Merve Şahin
Coordinator

Neslihan Sözer
Chemical Laboratory Manager



2111

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com


www.intertek-labtest-tur.com




130086564

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

Part No	Tested Part
1	FUCHSIA PHON CARTON
2	PINK PHON CARTON
3	ORANGE PHON CARTON
4	GREEN PHON CARTON
5	BLUE PHON CARTON
6	YELLOW PHON CARTON
7	PURPLE PHON CARTON
8	BLACK PHON CARTON
9	RED PHON CARTON
10	NAVY PHON CARTON



Merve Şahin
Coordinator



Neslihan Sözer
Chemical Laboratory Manager



2111

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-labtest-tur.com



130086564

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

RESULTS :

Analysis Parameter	Reference Analysis Method	PASS	FAIL	Norm Limit	Standard for Norm Limit	Tested Part
Azo Dyes	EN 14362-1 : 2012 for Textile Material	-	F	30 ppm	1907-2006-EC	Part 1-10
Toxic Element Analysis	BS EN 71-3:1995	P	-	Sb: 60 ppm As: 25 ppm Ba: 1000 ppm Cd: 75 ppm Cr: 60 ppm Pb: 90 ppm Hg: 60 ppm Se: 500 ppm	EN 71-3	Part 1-10
Phthalate	EN 14372 by GC MS	P	-	DBP/DEHP/BBP : 1000 ppm DINP/DNOP/ DIDP :1000 ppm	(27893) Notification On Market Supervision And Controls Regarding Hazardous Chemical Contents Of Some End-User Products	Part 1-10

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED

The test results relate only to the items tested. The report shall not be reproduced except in full, without the written approval of the laboratory. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.

FAILED PART

TESTED PART	DESCRIPTION	Analysis Parameter
Part 8	BLACK PHON CARTON	Azo Dyes
Part 9	RED PHON CARTON	Azo Dyes
Part 10	NAVY PHON CARTON	Azo Dyes



2111

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

Detection Of Amines Derived From Azocolourants and Azodyes

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method : EN 14362-1 : 2012 for Textile Material

Part 1&2&3&4&5&6&7&8&9&10

- | | |
|--|---------|
| 1)Composite sample of Fuchsia, Pink, Orange phon carton (without extraction) | <30 ppm |
| 2)Composite sample of Green, Blue, Yellow phon carton (without extraction) | <30 ppm |
| 3)Purple phon carton (without extraction) | <30 ppm |
| 4)Black phon carton (without extraction) | <30 ppm |
| 5)Red phon carton (without extraction) | <30 ppm |
| 6)Navy phon carton (without extraction) | <30 ppm |

INTERPRETATION OF AZO-DYES TEST RESULTS:

<u>FORBIDDEN AMINE</u>	<u>CAS NO</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>
4-AMINOBIIPHENYL	92-67-1	N	N	N	N	10 ppm	N
BENZIDINE	92-87-5	N	N	26 ppm	54 ppm	860 ppm	11 ppm
CHLORO-O-4-CHLOR-O-TOLUIDINE	95-69-2	N	N	N	N	N	N
2-NAPHTHYLAMINE	91-59-8	N	N	N	N	N	N
*O-AMINOAZOTOLUENE	97-56-3	N	N	N	N	N	N
*2-AMINO-4-NITROTOLUENE	99-55-8	N	N	N	N	N	N
P-CHLOROANILINE	106-47-8	N	N	N	N	N	N
2,4-DIAMINOANISOLE	615-05-4	N	N	N	N	N	N
4,4'-DIAMINOBIIPHENYLMETHANE	101-77-9	N	N	N	N	N	N
3,3'-DICHLOBENZIDINE	91-94-1	N	N	N	N	N	N
3,3'-DIMETHOXYBENZIDINE	119-90-4	N	N	11 ppm	75 ppm	N	675 ppm
3,3'-DIMETHYLBENZIDINE	119-93-7	N	N	N	N	N	N
3,3'-DIMETHYL-4,4' DIAMINOBIIPHENYLMETHANE	838-88-0	N	N	N	N	N	N
P-CRESIDINE	120-71-8	N	N	N	N	N	N
4,4'-METHYLENE-BIS-(2 CHLOROANILINE)	101-14-4	N	N	N	N	N	N
4,4'-OXYDIANILINE	101-80-4	N	N	N	N	N	N
4,4'-THIODIANILINE	139-65-1	N	N	N	N	N	N
O-TOLUIDINE	95-53-4	N	N	N	N	N	N
2,4-TOLUYLENDIAMINE	95-80-7	N	N	N	N	N	N
2,4,5-TRIMETHYLANILINE	137-17-7	N	N	N	N	N	N
O-ANISIDINE	90-04-0	N	N	N	N	N	N
**P-AMINOAZOBENZENE	60-09-3	N	N	N	N	N	N
2,4 XYLIDINE	95-68-1	N	N	N	N	N	N
2,6 XYLIDINE	87-62-7	N	N	N	N	N	N

Note:

- The amines o-amino-azotoluene and 2-amino-4-nitrotoluene are detected by its splitted product o-toluidine and 2,4- toluylenediamine.
- Azo colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4- phenylenediamine . The presence of these colorants can not be reliably ascertained without additional information, e.g. chemical structure of the colorant used.
- According to EN 14362-1:2012, separate test is suggested to ascertain the compliance for result of mixed test in the range between 5 ppm and 30 ppm.
- Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 & Amendment No. 552/2009 and 126/2013 (Formerly Known As Directive 2002/61/EC

ppm : part per million (mg/kg)

Detection Limit: 5 ppm

< = Less Than

Total Uncertainty = ± 10%

N:Not detected



2111

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No. 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-labtest-tur.com

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

Toxic Elements Analysis

BS EN 71-3:1995

Acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma-ICP_OES.

	<u>Part 1</u>	<u>Part 2</u>	<u>Part 3</u>	<u>Part 4</u>	<u>Part 5</u>	<u>Part 6</u>	<u>Part 7</u>	<u>Part 8</u>
Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND
Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND
Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND
Chromium (Cr)	ND	ND	ND	ND	ND	ND	ND	ND
Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND
Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND
Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND

	<u>Part 9</u>	<u>Part 10</u>
Antimony (Sb)	ND	ND
Arsenic (As)	ND	ND
Barium (Ba)	ND	ND
Cadmium (Cd)	ND	ND
Chromium (Cr)	ND	ND
Lead (Pb)	ND	ND
Mercury (Hg)	ND	ND
Selenium (Se)	ND	ND

	<u>Detection Limit</u>	<u>Requirement (ppm)</u>
Antimony (Sb)	<2 ppm	<60
Arsenic (As)	<2 ppm	<25
Barium (Ba)	<2 ppm	<1000
Cadmium (Cd)	<2 ppm	<75
Chromium (Cr)	<5 ppm	<60
Lead (Pb)	<5 ppm	<90
Mercury (Hg)	<2 ppm	<60
Selenium (Se)	<2 ppm	<500

(Total uncertainty=Results quoted have been corrected for uncertainty)

ppm (Part per million)

<
ND

=mg / kg
=Less Than
=Not Detected



2111

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN 14372 : 2004 Method By Gas Chromatographic-Mass Spectrometric (GC-MS) Analysis :

	<u>Part 1</u>	<u>Part 2</u>	<u>Part 3</u>	<u>Part 4</u>	<u>Part 5</u>	<u>Part 6</u>	<u>Part 7</u>	<u>Part 8</u>
DIBUTYL PHTHALATE (DBP)	ND	ND	ND	ND	ND	ND	ND	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND	ND	ND	ND	ND	ND	ND	ND
BENZYL BUTYL PHTHALATE (BBP)	ND	ND	ND	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND	ND	ND	ND
DI-ISO-NONYL PHTHALATE (DINP)	ND	ND	ND	ND	ND	ND	ND	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND	ND	ND	ND	ND	ND	ND	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND	ND	ND	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND	ND	ND	ND

	<u>Part 9</u>	<u>Part 10</u>
DIBUTYL PHTHALATE (DBP)	ND	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND	ND
BENZYL BUTYL PHTHALATE (BBP)	ND	ND
SUM OF THREE PHTHALATES	ND	ND
DI-ISO-NONYL PHTHALATE (DINP)	ND	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND	ND
SUM OF THREE PHTHALATES	ND	ND

REMARK =The Above Limit Was Quoted According To The EEC Directive 2005/84/EC On 14 December 2005.
 ND =Not Detected
 ppm (part per million) =mg / kg
 Detection Limit = DINP,DIDP : 100 ppm, Other Phthalates : 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 LIMIT (MAX.) =DBP,DEHP,BBP < 1000 ppm ; DINP, DNOP, DIDP < 1000 ppm

(Total Uncertainty=±5 %)

END OF TEST REPORT



2111