

TEST REPORT

Page 1 of 6

REPORT NUMBER :	TURA130081684
APPLICANT NAME	Bilgi Dağıtım Kitap Kırt. Ve Büro Malz. Tic. Ltd.Şti.
ADDRESS	Yenibosna Merkez Mah. 29 Ekim Cad. No:53 Bahçelievler - İstanbul FAX NO : 0212 551 00 92 Attention : Ahmet Yüksel (ayuksel@bilgi-dagitim.com, efe@bilgi-dagitim.com)
SAMPLE DESCRIPTION :	Bigpoint glitter glue 10.5 ml 5 colour blister
BUYER :	ΤÜΚΙD
DATE IN :	29 May, 2013 (13:59)
DATE OUT :	04 June, 2013
ARTICLE NO :	BP 499
PHOTO OF PRODUCT TESTED :	Simil Vapuştırıcı Glitter Glue *

Merve Şahin Coordinator



Intertek Test Hizmetleri A.S. Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55 e-mail : labtest.turkey@intertek.com www.intertek-labtest-tur.com

N. Suit

Neslihan Sözer

Chemical Laboratory Manager





REPORT : TURA130081684

Page 2 of 6

04 June, 2013

Code	Test Method	Result	Requirements

Part No	Tested Part
1	YELLOW GLITTER GLUE
2	GREY GLITTER GLUE
3	RED GLITTER GLUE
4	BLUE GLITTER GLUE
5	GREEN GLITTER GLUE
6	YELLOW PLASTIC COVER
7	GREY PLASTIC COVER
8	RED PLASTIC COVER
9	BLUE PLASTIC COVER
10	GREEN PLASTIC COVER
11	TRANSPARENT PLASTIC OUTER PART
12	TRANSPARENT PLASTIC TIP
13	MULTICOLOR STICKER

Merve Şahin Coordinator



Intertek Test Hizmetleri A.S. Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55 e-mail : labtest.turkey@intertek.com www.intertek-labtest-tur.com

N. Suit

Neslihan Sözer

Chemical Laboratory Manager





REPORT : TURA130081684

Page 3 of 6

04 June, 2013

Code	Test Method	Result	Requirements

RESULTS :

Analysis Parameter	Reference Analysis Method	PASS	FAIL	Norm Limit	Standard for Norm Limit	Tested Part
Azo Dyes	EN 14362-1 : 2012 for Textile Material	Р	-	30 ppm	1907-2006-EC	Part 1-10,13
Toxic Element Analysis	BS EN 71-3:1995	Ρ	-	Sb: 60 ppm As: 25 ppm Ba: 1000 ppm Cd: 75 ppm Cr: 60 ppm Pb: 90 ppm Hg: 60 ppm Se: 500 ppm	EN 71-3	Part 1-13
Phthalate	EN 14372 by GC MS	Р	-	DBP/DEHP/BBP : 1000 ppm DINP/DNOP/ DIDP :1000 ppm	(27893) Notification On Market Supervision And Controls Regarding Hazardous Chemical Contents Of Some End- User Products	Part 1-13

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED

The test results relate only to the items tested. The report shall not be reproduced except in full, without the written approval of the laboratory. The reported uncertainity is based on a standard uncertainity multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainity evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainity considered. When uncertainity is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.





REPORT : TURA130081684

Page 4 of 6

04 June, 2013

Detection Of Amines Derived From Azocolourants and Azodyes By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis. Test Method : EN 14362-1 : 2012 for Textile Material Part 1az23a4485468788894108413 1/Composite sample of Yellow, Grey, Red glitter glue (without extraction) <30 pp 2/Composite sample of Grey, Red, Blue plastic cover (with extraction) <30 pp 3/Composite sample of Yellow, Green plastic cover (with extraction) <30 pp 4/Composite sample of Yellow, Green plastic cover (with extraction) <30 pp 5/Multicolor sticker (with extraction) <30 pp 5/Multicolor sticker (with extraction) <30 pp Your Development Performance Liquid Chromatographic (HPLC) 4-AMINOBIPHENYL 92-67-1 N N N 9/LOTOPOSITE SATTICAL POPER TEST RESULTS: PCRBIDDEN AMINE 92-67-5 N N N N 9/LOROPO-4-CHLOR-0-TOLUIDINE 92-67-5 N N N N N N N N N 2-AMINOBIPHENYL 92-67-5 N N N N N N N N N N	Code	Test Method	Result						
FORBIDDEN AMINE CAS NO 1 2 3 4 5 4-AMINOBIPHENYL 92-67-1 N N N N N N BENZIDINE 92-87-5 N N N N N N CHLORO-O-4-CHLOR-O-TOLUIDINE 95-69-2 N N N N N 2-NAPHTHYLAMINE 91-59-8 N N N N N 2-NAPHTHYLAMINE 91-59-8 N N N N N *2-AMINO-4-NITROTOLUENE 99-55-8 N N N N N ?2-4-DIAMINOAJOLUENE 106-47-8 N N N N N ?4-DIAMINOAINSOLE 615-05-4 N N N N N ?4-DIAMINOBIPHENYLMETHANE 101-77-9 N N N N N ?3.3-DIMETHOXYBENZIDINE 119-90-4 N N N N N 3.3'DIMETHYL-4,4' DIAMINOBIPHENYLMETHANE	By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis. Test Method : EN 14362-1 : 2012 for Textile Material Part 1&2&3&4&5&6&7&8&89&10&13 1)Composite sample of Yellow, Grey, Red glitter glue (without extraction) 2)Composite sample of Blue, Green glitter glue (without extraction) 3)Composite sample of Grey, Red, Blue plastic cover (with extraction) 4)Composite sample of Yellow, Green plastic cover (with extraction)								
4-AMINOBIPHENYL 92-67-1 N N N N N BENZIDINE 92-87-5 N N N N N N CHLORO-0-4-CHLOR-O-TOLUIDINE 95-69-2 N N N N N N 2-NAPHTHYLAMINE 91-59-8 N N N N N *O-AMINOAZOTOLUENE 97-56-3 N N N N N *2-AMINO-4-NITROTOLUENE 99-55-8 N N N N N P-CHLOROANILINE 106-47-8 N N N N N 2,4-DIAMINOANISOLE 615-05-4 N N N N N 3,3'-DICHLOROBENZIDINE 101-77-9 N N N N N 3,3'-DIMETHYL-4,4' DIAMINOBIPHENYLMETHANE 101-77-9 N N N N 3,3'-DIMETHYL-4,4' DIAMINOBIPHENYLMETHANE 19-90-4 N N N N 3,3'-DIMETHYL-4,4' DIAMINOBIPHENYLMETHANE	INTERPI	RETATION OF AZO-DYES TEST RESU	JLTS:						
BENZIDINE 92-87-5 N N N N N N N N CHLORO-O-4-CHLOR-O-TOLUIDINE 95-69-2 N N N N N N N 2-NAPHTHYLAMINE 91-59-8 N N N N N N N *O-AMINOAZOTOLUENE 97-56-3 N N N N N N *2-AMINO-4-NITROTOLUENE 99-55-8 N N N N N *2.4-DIAMINOANISOLE 106-47-8 N N N N N N 2.4-DIAMINOANISOLE 615-05-4 N N N N N N 3.3'-DIMETHOXYBENZIDINE 101-77-9 N N N N N 3.3'-DIMETHOXYBENZIDINE 119-90-4 N N N N N 3.3'-DIMETHYL-84,4' DIAMINOBIPHENYLMETHANE 838-88-0 N N N N N 3.3'-DIMETHYL-4,4' DIAMINOBIPHENYLMETHAN	FORBID	DEN AMINE	CAS NO	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	
2,4,5-TRIMETHYLANILINE 137-17-7 N	BENZIDIN CHLORO 2-NAPHT *O-AMINO *2-AMINO P-CHLOR 2,4-DIAM 4,4'-DIAM 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 3,3'-DIME 2,4,5-TRII 0-ANISID **P-AMIN	NE -O-4-CHLOR-O-TOLUIDINE HYLAMINE DAZOTOLUENE D-4-NITROTOLUENE COANILINE INOANISOLE IINOBIPHENYLMETHANE LOROBENZIDINE THOXYBENZIDINE THYLBENZIDINE THYL-4,4' DIAMINOBIPHENYLMETHANE DINE HYLENE-BIS-(2 CHLOROANILINE) DIANILINE DIANILINE DINE YLENDIAMINE METHYLANILINE INE OAZOBENZENE	92-87-5 95-69-2 91-59-8 97-56-3 99-55-8 106-47-8 615-05-4 101-77-9 91-94-1 119-90-4 119-90-4 119-93-7 838-88-0 120-71-8 101-14-4 101-80-4 139-65-1 95-53-4 95-80-7 137-17-7 90-04-0 60-09-3	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~					

Note: 1)The amines o-amino-azotoluene and 2-amino-4-nitrotoluene are detected by its splitted product o-toluidine and 2,4- toluylenediamine.

2)Azo colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4- phenylendiamine . The presence of these colorants can not be reliably ascertained without additional information, e.g. chemical structure of the colorant used.

3)According to EN 14362-1:2012, separate test is suggested to ascertain the compliance for result of mixed test in the range between 5 ppm and 30 ppm. 4)Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 & Amendment No. 552/2009 and 126/2013 (Formerly Known As Directive 2002/61/EC

ppm : part per million (mg/kg) **Detection Limit: 5 ppm** = Less Than <

Total Uncertainty N:Not detected

= ± 10%





REPORT : TURA130081684

04 June, 2013

Code	Test Method	Result	Requirements

Toxic Elements Analysis

BS EN 71-3:1995

Acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma-ICP_OES.

Antimony Arsenic Barium Cadmium Chromium Lead Mercury Selenium	(Sb) (As) (Ba) (Cd) (Cr) (Pb) (Hg) (Se)	Part 1 ND 5 ppm ND ND ND ND ND	Part 2 ND 4 ppm ND ND ND ND ND	Part 3 ND 6 ppm ND ND ND ND ND	Part 4 ND 3 ppm ND ND ND ND ND	Part 5 ND ND 7 ppm ND ND ND ND ND	Part 6 ND ND ND ND ND ND ND	Part 7 ND ND ND ND ND ND ND	Part 8 ND ND ND ND ND ND ND ND
		Part 9	<u>9</u>	Part 10	Pa	rt 11	Part 12		Part 13
Antimony	(Sb)	ND	_	ND	N	1D	ND		ND
Arsenic	(As)	ND		ND	Ν	1D	ND		ND
Barium	(Ba)	ND		ND	Ν	1D	ND		ND
Cadmium	(Cd)	ND		ND	Ν	1D	ND		ND
Chromium	(Cr)	ND		ND		1D	ND		ND
Lead	(Pb)	ND		ND		1D	ND		ND
Mercury	(Hg)	ND		ND		1D	ND		ND
Selenium	(Se)	ND		ND	Ν	1D	ND		ND
Antimony Arsenic Barium Cadmium Chromium Lead Mercury Selenium	(Sb) (As) (Ba) (Cd) (Cr) (Pb) (Hg) (Se)		<u>Detectio</u> <2 p <2 p <2 p <2 p <5 p <5 p <2 p <2 p	pm pm pm pm pm pm pm			< <1 < < <	nent (ppn 60 25 000 75 60 90 60 500	<u>)</u>

(Total uncertainty=Results quoted have been corrected for uncertainty) ppm (Part per million)

< ND =mg / kg =Less Than =Not Detected





REPORT : TURA130081684

Page 6 of 6

04 June, 2013

Code	Test Method	Result	Requirements

TOTAL PHTHALATE CONTENT

EN 14372 : 2004 Method By Gas Chromotographic-Mass Spectrometric (GC-MS) Analysis :

	Part 1	Part 2	Part 3	Part 4	Part 5	Part 6	Part 7	Part 8
DIBUTYL PHTHALATE (DBP)	ND							
DIETHYL HEXYL PHTHALATE (DEHP)	ND							
BENZYL BUTYL PHTHALATE (BBP)	ND							
SUM OF THREE PHTHALATES	ND							
DI-ISO-NONYL PHTHALATE (DINP)	ND							
DI-N-OCTYL PHTHALATE (DNOP)	ND							
DI-ISO-DECYL PHTHALATE (DIDP)	ND							
SUM OF THREE PHTHALATES	ND							

	Part 9	Part 10	Part 11	Part 12	Part 13
DIBUTYL PHTHALATE (DBP)	ND	ND	ND	ND	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND	ND	ND	ND	ND
BENZYL BUTYL PHTHALATE (BBP)	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND
DI-ISO-NONYL PHTHALATE (DINP)	ND	ND	ND	ND	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND	ND	ND	ND	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND

REMARK=The Above Limit Was Quoted According To The EEC Directive 2005/84/EC On 14 December 2005.ND=Not Detectedppm (part per million)=mg / kgDetection Limit= DINP,DIDP : 100 ppm, Other Phthalates : 10 ppm<</td>=Less Than*=EXCEEDED LIMITLIMIT (MAX.)=DBP,DEHP,BBP < 1000 ppm ; DINP, DNOP, DIDP < 1000 ppm</td>

(Total Uncertainty=±5 %)

END OF TEST REPORT

