

TEST REPORT

Report Status	: PASS
Report Nr/Revision Nr/Release Date	: 2600031097/0/11.08.2026
Agency Name	: Bigpoint Kırtasiye San. ve Tic. Ltd. Şti.
Agency Address	: Deliklikaya Mah. Kitabe Cad. No:5, ARNAVUTKÖY/İSTANBUL
Sample Accepted on	: 30.07.2026
Test Resulted Date	: 10.08.2026
Date Release Report	: 11.08.2026
Sample ID	: FINGER PAINT
Total Number of Pages	: 16
Disclaimer	: The analysis was carried out upon customer request.
Decision Rule	: 3-The simple acceptance rule was applied.
Conformity Assessment	:
Brand Name	: BEESTAR - BIGPOINT
Model / Item No	: 26070966 - BP754-06

ANALYSIS	METHOD	RESULT
* DETERMINATION OF PHTHALATES	CPSC-CH-C1001.09:2018	P
* DETERMINATION OF PAH's	AfPS GS:2019:01	P
* BISFENOL A TAYİNİ (BPA)	EN 71-19:2025	P
* DETERMINATION OF FREE PHENOL	EN 71-18:2025	P
* SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS - CATEGORY 3	EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K3	P
* SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS - CATEGORY 2	EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K2	P
* SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES	TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/EN 71-1:2014+A1:2018 (WITHDRAWN)	P
* EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY	TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025	P
* PRIMARY AROMATIC AMINES	EN 71-7:2025	P
* DETERMINATION OF FREE PHENOL	EN 71-18:2025	P
* DETERMINATION OF VOC	INHOUSE METHOD (ATAL-28 Rev02)(EPA 8260D, EPA 5000,71-9 Based)	P
* TOY SAFETY PART 3: MIGRATION OF CERTAIN ELEMENTS - K2-ORGANIC TİN	EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 ORGANIC TİN	P
* DETERMINATION OF FLAME RETARDANTS	EN 71-16:2025	P
* DETERMINATION OF N-NITROSAMINE COMPOUNDS	EN 71-12:2016	P

Seal

Tuğçe Genç
Uzman Müşteri Temsilcisi / Senior
Customer RepresentativeGökrem EROĞLU
Hardlines Bölüm Müdürü
/ Hardlines Division Manager

11.08.2026

e-imzalıdır

11.08.2026

e-imzalıdır



This document has been electronically signed in accordance with the Electronic Signature Law No. 5070.


TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Sample ID	Part No.	Part ID	Explanatory Information
A-FINGER PAINT B-FINGER PAINT	Part 001	Plastic transparent finger paint container& lid	
A-FINGER PAINT B-FINGER PAINT	Part 002	Paint white	
A-FINGER PAINT B-FINGER PAINT	Part 003	Paint yellow	
A-FINGER PAINT B-FINGER PAINT	Part 004	Paint red	
B-FINGER PAINT	Part 005	Paint blue BP754-06	
A-FINGER PAINT B-FINGER PAINT	Part 006	Paint green	
A-FINGER PAINT B-FINGER PAINT	Part 007	Paint black	
A-FINGER PAINT	Part 008	FINGER PAINT 26070966	
B-FINGER PAINT	Part 009	FINGER PAINT BP754-06	
A-FINGER PAINT	Part 010	Paint blue 26070966	

Summary of Results

Parts & Results															
Parts	001	002	003	004	005	006	007	008	009	010	011	012	013	014	015
*DETERMINATION OF PHTHALATES	P	P	P	P	P	P	P	X	X	X					
*DETERMINATION OF PAH's	P	P	P	P	P	P	P	X	X	X					
*BISFENOL A TAYİNİ (BPA)	P	P	P	P	P	P	P	X	X	X					
*DETERMINATION OF FREE PHENOL	P	P	P	P	P	P	P	X	X	X					
*SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 3	P	X	X	X	X	X	X	X	X	X					
*SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 2	X	P	P	P	P	P	P	X	X	P					
*SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES	X	X	X	X	X	X	X	P	P	X					
*EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY	X	X	X	X	X	X	X	P	P	X					
*PRIMARY AROMATIC AMINES	X	P	P	P	P	P	P	X	X	X					
*DETERMINATION OF VOC	X	P	P	P	P	P	P	X	X	X					
*TOY SAFETY PART 3: MIGRATION OF CERTAIN ELEMENTS - K2-ORGANIC TIN	X	X	X	X	P	X	X	X	X	P					
*DETERMINATION OF FLAME RETARDANTS	P	P	P	P	P	P	P	X	X	X					
**DETERMINATION OF N-NITROSAMINE COMPOUNDS	X	P	P	P	P	P	P	X	X	X					

TEST REPORT***SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

A [008] / TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/ EN 71-1:2014+A1:2018 (WITHDRAWN)

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

- Age Group Which Indicated : +24 month
- Laboratory Age Grading : +24 month
- Tested Age Group : +24 month

The item was tested for children aged over 24 months according to standard.

Matter	Result
*4. GENERAL REQUIREMENTS	Pass
*4.1 Material Cleanliness	Pass
*4.7 Edges	Pass (a+c)
*4.8 Points And Metallic Wires	Pass (a+e)
*5. TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	Pass
*5.1 General Requirements	Pass (a+b)
*7. WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE	Relevant ##
*7.1 General	Relevant

The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

** The name and address of the manufacturer **(Present)**** The name and address of the importer **(Not Present)**Type, batch, serial or model number or other element allowing of toy identification **(Present)**The following advisory note: "Retain for future reference", if the information is not on the toy itself **(Not Present)**A CE mark in the correct shape and size. **(Present)**

- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

** In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer.

***SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

B [009] / TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/ EN 71-1:2014+A1:2018 (WITHDRAWN)

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

- Age Group Which Indicated : +24 month
- Laboratory Age Grading : +24 month
- Tested Age Group : +24 month

The item was tested for children aged over 24 months according to standard.

Matter	Result
*4. GENERAL REQUIREMENTS	Pass
*4.1 Material Cleanliness	Pass
*4.7 Edges	Pass (a+c)
*4.8 Points And Metallic Wires	Pass (a+e)
*5. TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	Pass
*5.1 General Requirements	Pass (a+b)
*7. WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE	Relevant ##
*7.1 General	Relevant

The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

** The name and address of the manufacturer **(Present)**** The name and address of the importer **(Not Present)**Type, batch, serial or model number or other element allowing of toy identification **(Present)**The following advisory note: "Retain for future reference", if the information is not on the toy itself **(Not Present)**A CE mark in the correct shape and size. **(Present)**

- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

** In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer.

TEST REPORT***EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY**

A [008] / TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

NOTE 1: Extremely flammable liquids, high flammable liquids and flammable gases can not be tested.

Matter	Result
*4. RULES	Pass
*4.1 General Rules #(See Note 1,2)	Pass

NOTE 2: 4.1 Parameters Considered For General Requirements

Cellulose nitrate

Washing Process **: Not applied

**(Cleaning process apply to the product in necessary situations for appropriate clauses of EN 71-2 according to instructions that given on toy or if there is no instructions apply pursuant to indicate in standard.)

Type of Gas : Butane Gas (Gas which used in test burner)

The test results thus obtained can not be considered as providing an overall indication of the potential fire hazard of toys or materials when subjected to other sources of ignition.

Condition Parameters: 65±5 %RH ; 20±5°C at least 7 hour

Test Atmosphere: 10°C - 30°C / 15-80 %RH

***EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY**

B [009] / TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

NOTE 1: Extremely flammable liquids, high flammable liquids and flammable gases can not be tested.

Matter	Result
*4. RULES	Pass
*4.1 General Rules #(See Note 1,2)	Pass

NOTE 2: 4.1 Parameters Considered For General Requirements

Cellulose nitrate

Washing Process **: Not applied

**(Cleaning process apply to the product in necessary situations for appropriate clauses of EN 71-2 according to instructions that given on toy or if there is no instructions apply pursuant to indicate in standard.)

Type of Gas : Butane Gas (Gas which used in test burner)

The test results thus obtained can not be considered as providing an overall indication of the potential fire hazard of toys or materials when subjected to other sources of ignition.

Condition Parameters: 65±5 %RH ; 20±5°C at least 7 hour

Test Atmosphere: 10°C - 30°C / 15-80 %RH

TEST REPORT***DETERMINATION OF PHTHALATES**

CPSC-CH-C1001.09:2018

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 001	Part 002+003+004	Part 005+006+007	Reporting Limit (mg/kg)
*Di-iso-nonyl phthalate (DINP)	28553-12-0/68515-48-0	<60	<60	<60	60
*Di-n-octylphthalate (DNOP)	117-84-0	<60	<60	<60	60
*Di-(2-ethylhexyl)-phtalete (DEHP)	117-81-7	<60	<60	<60	60
*Di-isodecyl phtalate (DIDP)	26761-40-0/68515-49-1	<60	<60	<60	60
*Butylbenzyl phthalate (BBP)	85-68-7	<60	<60	<60	60
*Dibutyl phthalate (DBP)	84-74-2	<60	<60	<60	60
*TOTAL(DBP+ DEHP+ BBP)		<60	<60	<60	60
*TOTAL (DINP+ DNOP+ DIDP)		<60	<60	<60	60
	Result	Pass	Pass	Pass	

Forbidden Compounds : LIMIT (MAX.) = Each Compounds 1000ppm; Total DBP, DEHP, BBP < 1000 ppm; Total DINP, DNOP, DIDP < 1000 ppm

Limit Value :It is given by the EU Regulation 1907/2006 (REACH), Annex XVII Entry 51&52

***SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 2**

EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K2

Analyzed by: ICP-MS

Controlled Compounds	CAS Number	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Part 010	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Aluminium (Al)	7429-90-5	33	<0,125	26	<0,125	33	<0,125	<0,125	560	0,125
*Antimony (Sb)	7440-36-0	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	11,3	0,125
*Arsenic (As)	7440-38-2	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	0,9	0,125
*Copper (Cu)	7440-50-8	<0,125	<0,125	<0,125	102	124	<0,125	113	156	0,125
*Barium (Ba)	7440-39-3	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	375	0,125
*Boron (B)	7440-42-8	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	300	0,125
*Mercury (Hg)	7439-97-6	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	1,9	0,0125
*Zinc (Zn)	7440-66-6	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	938	0,125
*Cadmium (Cd)	7440-43-9	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	0,3	0,125
*Tin (Sn)	7440-31-5	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	0,11	3750	0,125
*Cobalt (Co)	7440-48-4	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	2,6	0,125
*Chromium (Cr +3)	7440-47-3	<0,47	<0,47	<0,47	<0,47	<0,47	<0,47	<0,47	9,4	0,47
*Chromium (Cr +6)	18540-29-9	<0,001	<0,001	<0,001	<0,001	<0,001	<0,001	<0,001	0,005	0,001
*Lead (Pb)	7439-92-1	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	0,5	0,125
*Manganese (Mn)	7439-96-5	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	300	0,125
*Nickel (Ni)	7440-02-0	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	18,8	0,125
*Selenium (Se)	7782-49-2	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	9,4	0,125
*Strontium (Sr)	7440-24-6	<0,125	<0,125	<0,125	<0,125	22	<0,125	<0,125	1125	0,125
Organic Tin	-	<0,02	<0,02	<0,02	0,35	<0,02	<0,02	<0,02	0,2	0,02
	Result	Pass	Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value : It is given by Safety of toys Part 3: Migration of certain elements- Liquid, Sticky,Category 2.

TEST REPORT***SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 3**

EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K3

Analyzed by: ICP-MS

Controlled Compounds	CAS Number	Part 001	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Aluminium (Al)	7429-90-5	<0,125	28130	0,125
*Antimony (Sb)	7440-36-0	<0,125	560	0,125
*Arsenic (As)	7440-38-2	<0,125	47	0,125
*Copper (Cu)	7440-50-8	<0,125	7700	0,125
*Barium (Ba)	7440-39-3	<0,125	18750	0,125
*Boron (B)	7440-42-8	<0,125	15000	0,125
*Mercury (Hg)	7439-97-6	<0,0125	94	0,0125
*Zinc (Zn)	7440-66-6	<0,125	46000	0,125
*Cadmium (Cd)	7440-43-9	<0,125	17	0,125
*Tin (Sn)	7440-31-5	<0,125	180000	0,125
*Cobalt (Co)	7440-48-4	<0,125	130	0,125
*Chromium (Cr +3)	7440-47-3	<0,47	460	0,47
*Chromium (Cr +6)	18540-29-9	<0,001	0,053	0,001
*Lead (Pb)	7439-92-1	<0,125	23	0,125
*Manganese (Mn)	7439-96-5	<0,125	15000	0,125
*Nickel (Ni)	7440-02-0	<0,125	930	0,125
*Selenium (Se)	7782-49-2	<0,125	460	0,125
*Strontium (Sr)	7440-24-6	24	56000	0,125
Organic Tin	-	<0,02	12	0,02
Result		Pass		

Limit Value : It is given by Safety of toys Part 3: Migration of certain elements- Scraped-off Materials, Category 3.

***PRIMARY AROMATIC AMINES**

EN 71-7:2025

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*4-Aminodiphenyl	92-67-1	<5	<5	<5	<5	<5	<5	<30	5
*Benzidine	92-87-5	<5	<5	<5	<5	<5	<5	<30	5
*4-chloro-o-toluidine	95-69-2	<5	<5	<5	<5	<5	<5	<30	5
*2-Naphthylamine	91-59-8	<5	<5	<5	<5	<5	<5	<30	5
*o-amino-azotoluene	97-56-3	<5	<5	<5	<5	<5	<5	<30	5
*2-amino-4-nitrotoluene	99-55-8	<5	<5	<5	<5	<5	<5	<30	5
*p-chloroaniline	106-47-8	<5	<5	<5	<5	<5	<5	<30	5
*2,4-diaminoanisole	615-05-4	<5	<5	<5	<5	<5	<5	<30	5
*4,4'-diamino-diphenylmethane	101-77-9	<5	<5	<5	<5	<5	<5	<30	5
*3,3'-Dichlorobenzidine	91-94-1	<5	<5	<5	<5	<5	<5	<30	5
*3,3'-Dimethoxybenzidine	119-90-4	<5	<5	<5	<5	<5	<5	<30	5
*4,4'-Methylen-bis-(2-chloraniline)	101-14-4	<5	<5	<5	<5	<5	<5	<30	5
*4,4'-oxydianiline	101-80-4	<5	<5	<5	<5	<5	<5	<30	5
*4,4'-thiodianiline	139-65-1	<5	<5	<5	<5	<5	<5	<30	5
Result		Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value: It's given by the EU Toy Safety Directive 2009/48/EC limit.

TEST REPORT
***DETERMINATION OF PAH's**

AfPS GS:2019:01

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 001	Part 002+003+004	Part 005+006+007	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Benzo(e)pyrene	192-97-2	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[j]fluoranthene	205-82-3	<0,1	<0,1	<0,1	0,5	0,1
*Benz[a]anthracene	56-55-3	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[k]fluoranthene	207-08-9	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[a]pyrene	50-32-8	<0,1	<0,1	<0,1	0,5	0,1
*Chrysene	218-01-9	<0,1	<0,1	<0,1	0,5	0,1
*Dibenz[a,h]anthracene	53-70-3	<0,1	<0,1	<0,1	0,5	0,1
*Benz[b]fluoranthene	205-99-2	<0,1	<0,1	<0,1	0,5	0,1
Result		Pass	Pass	Pass		

Limit Value :It is given by the EU Regulation 1907/2006 (REACH), Annex XVII Entry 50

***DETERMINATION OF VOC**

INHOUSE METHOD (ATAL-28 Rev02)(EPA 8260D, EPA 5000,71-9 Based)

Analyzed by: HS/GC-MS

Controlled Compounds	CAS Number	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*BENZENE	71-43-2	<0,5	<0,5	<0,5	<0,5	<0,5	<0,5	5	<0,5
*TOLUENE	108-88-3	<0,5	<0,5	<0,5	<0,5	<0,5	<0,5	1000	<0,5
Result		Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value : It is given by the EU Regulation 1907/2006 (REACH), Annex XVII Entry 5&48.

****DETERMINATION OF N-NITROSAMINE COMPOUNDS**

EN 71-12:2016

Analyzed by: LC-MS/MS

Limit Value: Given by the Toy Safety Directive 2009/48/EC. Limit values are stated below.

PART 002				
Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evalatuion
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatables Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS

TEST REPORT

NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

PART 003

Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evalatuion
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatables Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

PART 004

Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evalatuion
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS

TEST REPORT

NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatable Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

PART 005				
Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatable Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS

TEST REPORT

NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

PART 006

Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evalatuion
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatables Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

PART 007

Regulated N-Nitrosamine Compounds	Cas No	Result	Limit	Evalatuion
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.010	0,02	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.010	0,02	PASS

TEST REPORT

NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.010	0,02	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.010	0,02	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.010	0,02	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.010	0,02	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.010	0,02	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.010	0,02	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.010	0,02	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.010	0,02	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.010	0,02	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.010	0,02	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.010	0,02	PASS
TOPLAM	-	<0.010	0,02	PASS
Regulated N-Nitrosatable Compounds	Cas No	Result	Limit	Evaluation
NDELA (N-nitrosodiethanolamine)	1116-54-7	<0.013	1	PASS
NMPhA (N-nitroso-methyl-N-phenylamine)	614-00-6	<0.013	1	PASS
NEPhA (N-nitroso-ethyl-N-phenylamine)	612-64-6	<0.013	1	PASS
NDMA (N-nitrosodimethylamine)	62-75-9	<0.013	1	PASS
NDEA (N-nitrosodiethylamine)	55-18-5	<0.013	1	PASS
NDPA (N-nitrosodipropylamine)	621-64-7	<0.013	1	PASS
NDiPA (N-nitrosodiisopropylamine)	601-77-4	<0.013	1	PASS
NDBA (N-nitrosodibutylamine)	924-16-3	<0.013	1	PASS
NDiBA (N-nitrosodiisobutylamine)	997-95-5	<0.013	1	PASS
NDiNA (N-nitrosodiisononylamine)	1207995-62-7	<0.013	1	PASS
NMOR (N-nitrosomorpholine)	59-89-2	<0.013	1	PASS
NPIP (N-nitrosopiperidine)	100-75-4	<0.013	1	PASS
NDBzA (N-nitrosodibenzylamine)	5336-53-8	<0.013	1	PASS
TOPLAM	-	<0.013	1	PASS

***TOY SAFETY PART 3: MIGRATION OF CERTAIN ELEMENTS - K2-ORGANIC TİN**

EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 ORGANIC TİN

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 005	Part 010	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Monobutyltin trichloride	1118-46-3	<0,02	<0,02	0,2	0,02
*Dibutyltin dichloride	683-18-1	<0,02	<0,02	0,2	0,02
*Tributyltin chloride	1461-22-9	<0,02	<0,02	0,2	0,02
*Tetrabutyltin	1461-25-2	<0,02	<0,02	0,2	0,02
*Monooctyltin trichloride	3091-25-6	<0,02	<0,02	0,2	0,02
*Diocetyl tin dichloride	3542-36-7	<0,02	<0,02	0,2	0,02
*Triphenyltin chloride	639-58-7	<0,02	<0,02	0,2	0,02
*Methyltin trichloride	993-16-8	<0,02	<0,02	0,2	0,02
*Diphenyltin-dichloride	1135-99-5	<0,02	<0,02	0,2	0,02
*Di-n-propyltin-dichloride	867-36-7	<0,02	<0,02	0,2	0,02
*Dimethyltin-dichloride	753-73-1	<0,02	<0,02	0,2	0,02
*TOTAL		<0,02	<0,02	0,2	0,02
	Result	Pass	Pass		

Toy Safety Part 3: Migration of Specific Elements Based on Total Organic Tin Categories.

TEST REPORT***DETERMINATION OF FLAME RETARDANTS**

EN 71-16:2025

Analyzed by: LC-MS/MS

Controlled Compounds	CAS Number	Part 001	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Limiting Value ()	Reporting Limit ()
*Tris(2-chloroethyl) phosphate-TCEP	115-96-8	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	5	0,05
*Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	5	0,05
*Tris(2-chloro-1-methylethyl) phosphate (TDPC)	13674-87-8	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	<0,05	5	0,05
Result	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value: It's given by the EU Toy Safety Directive 2009/48/EC Appendix C.

***DETERMINATION OF FREE PHENOL**

EN 71-18:2025

Analyzed by: LC-MS/MS

Controlled Compounds	CAS Number	Part 001	Limiting Value (mg/L)	Reporting Limit (mg/L)
*DETERMINATION OF FREE PHENOL	108-95-2	<0,2	5	
Result	Pass			

Limit Value: It's given by the EU Toy Safety Directive 2009/48/EC Appendix C.

***BISFENOL A TAYİNİ (BPA)**

EN 71-19:2025

Analyzed by: LC-MS/MS

Controlled Compounds	CAS Number	Part 001	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Limiting Value (mg/L)	Reporting Limit (mg/L)
*BISFENOL A TAYİNİ (BPA)	80-05-7	<0,01	<0,01	<0,01	<0,01	<0,01	<0,01	<0,01	0,04	
Result	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value: It's given by the EU Toy Safety Directive 2009/48/EC Appendix C.

***DETERMINATION OF FREE PHENOL**

EN 71-18:2025

Analyzed by: LC-MS/MS

Controlled Compounds	CAS Number	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*DETERMINATION OF FREE PHENOL	108-95-2	<0,5	<0,5	<0,5	<0,5	<0,5	<0,5	10	10
Result	Pass	Pass	Pass	Pass	Pass	Pass	Pass		

Limit Value: It's given by the EU Toy Safety Directive 2009/48/EC Appendix C.