

**TEST REPORT**

|                                    |                                                                                                                                                                                                                                                                                                                          |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Status                      | : PASS                                                                                                                                                                                                                                                                                                                   |
| Report Nr/Revision Nr/Release Date | : 2600018701/0/22.05.2026                                                                                                                                                                                                                                                                                                |
| Agency Name                        | : Bigpoint Kırtasiye San. ve Tic. Ltd. Şti.                                                                                                                                                                                                                                                                              |
| Contact e-mail                     | : Deliklikaya Mah. Kitabe Cad. No:5, ARNAVUTKÖY/İSTANBUL                                                                                                                                                                                                                                                                 |
| Sample Accepted on                 | : 11.05.2026                                                                                                                                                                                                                                                                                                             |
| Test Resulted Date                 | : 22.05.2026                                                                                                                                                                                                                                                                                                             |
| Date Release Report                | : 22.05.2026                                                                                                                                                                                                                                                                                                             |
| Sample ID                          | : PUNCH                                                                                                                                                                                                                                                                                                                  |
| Total Number of Pages              | : 7                                                                                                                                                                                                                                                                                                                      |
| Disclaimer                         | : The analysis was carried out upon customer request.                                                                                                                                                                                                                                                                    |
| Decision Rule                      | : 3-The simple acceptance rule was applied.                                                                                                                                                                                                                                                                              |
| Conformity Assessment              | :                                                                                                                                                                                                                                                                                                                        |
| Brand Name                         | : BIGPOINT                                                                                                                                                                                                                                                                                                               |
| Model / Item No                    | : BP738-05-01, BP738-05-02, BP738-05-03, BP738-05-04, BP738-05-05, BP738-05-06, BP738-10-01, BP738-10-02, BP738-10-03, BP738-10-04, BP738-10-05, BP738-10-06, BP738-15-01, BP738-15-02, BP738-15-03, BP738-15-04, BP738-15-05, BP738-20-01, BP738-20-02, BP738-20-03, BP738-20-04, BP738-30-01, BP738-30-02, BP738-30-03 |

| ANALYSIS                                                            | METHOD                                                             | RESULT |
|---------------------------------------------------------------------|--------------------------------------------------------------------|--------|
| * SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS - CATEGORY 3 | EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K3 | P      |
| * SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES       | TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/EN 71-1:2014+A1:2018   | P      |
| * EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY                       | TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025                       | P      |
| * DETERMINATION OF PAH's                                            | AfPS GS:2019:01                                                    | P      |
| * DETERMINATION OF PHTHALATES                                       | CPSC-CH-C1001.09:2018 [BAKANLIK]                                   | P      |

Seal

Tutku Birol  
Müşteri Temsilcisi / Customer RepresentativeGörkem EROĞLU  
Hardlines Bölüm Müdürü  
/ Hardlines Division Manager

22.05.2026

e-imzalıdır

22.05.2026


e-imzalıdır



This document has been electronically signed in accordance with the Electronic Signature Law No. 5070.

**TEST REPORT**

**Photo of the sample received**



**TEST REPORT**

**Photo of the sample received**



**TEST REPORT**

| Sample ID                    | Part No. | Part ID                                                     | Explanatory Information |
|------------------------------|----------|-------------------------------------------------------------|-------------------------|
| A-PUNCH-PINK                 | Part 001 | Plastic silver printed dark pink top button part&below part |                         |
| A-PUNCH-PINK                 | Part 002 | Plastic silver printed light pink main part                 |                         |
| A-PUNCH-PINK<br>B-PUNCH-BLUE | Part 003 | Plastic transparent below cover                             |                         |
| B-PUNCH-BLUE                 | Part 004 | Plastic silver printed dark blue top button part&below part |                         |
| B-PUNCH-BLUE                 | Part 005 | Plastic silver printed light blue main part                 |                         |
| A-PUNCH-PINK<br>B-PUNCH-BLUE | Part 006 | Metal silver mechanism part                                 |                         |
| A-PUNCH-PINK<br>B-PUNCH-BLUE | Part 007 | PUNCH-PINK-BLUE                                             |                         |

**Summary of Results**

| Parts & Results                                                         |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Parts                                                                   | 001 | 002 | 003 | 004 | 005 | 006 | 007 | 008 | 009 | 010 | 011 | 012 | 013 | 014 | 015 |
| *SAFETY OF TOYS-PART 3:<br>MIGRATION OF CERTAIN<br>ELEMENTS -CATEGORY 3 | P   | P   | P   | P   | P   | X   | X   |     |     |     |     |     |     |     |     |
| *SAFETY OF TOYS – PART 1:<br>MECHANICAL AND PHYSICAL<br>PROPERTIES      | X   | X   | X   | X   | X   | X   | P   |     |     |     |     |     |     |     |     |
| *EN 71-2-SAFETY OF TOYS-PART<br>2: FLAMMABILITY                         | X   | X   | X   | X   | X   | X   | P   |     |     |     |     |     |     |     |     |
| *DETERMINATION OF PAH's                                                 | P   | P   | P   | P   | X   | X   | X   |     |     |     |     |     |     |     |     |
| *DETERMINATION OF<br>PHTHALATES                                         | P   | P   | P   | P   | X   | X   | X   |     |     |     |     |     |     |     |     |

**TEST REPORT****\*SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

A-B [007] / TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/ EN 71-1:2014+A1:2018

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

- Age Group Which Indicated : +36 month
- Laboratory Age Grading : +36 month
- Tested Age Group : +36 month
- The item was tested for children aged over 36 months according to standard.

| Matter                                              | Result      |
|-----------------------------------------------------|-------------|
| *4. GENERAL REQUIREMENTS                            | Pass        |
| *4.1 Material Cleanliness                           | Pass        |
| *4.7 Edges                                          | Pass (a+c)  |
| *4.8 Points And Metallic Wires                      | Pass (a+e)  |
| *7. WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE     | Relevant ## |
| *7.1 General                                        | Relevant    |
| *7.2 Toys Not Intended For Children Under 36 Months | Relevant    |

## The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

\*\* The name and address of the manufacturer **(Present)**\*\* The name and address of the importer **(Present)**Type, batch, serial or model number or other element allowing of toy identification **(Present)**The following advisory note: "Retain for future reference", if the information is not on the toy itself **(Present)**A CE mark in the correct shape and size. **(Present)**

- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

\*\* In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer.

**\*EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY**

A-B [007] / TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

# NOTE 1: Extremely flammable liquids, high flammable liquids and flammable gases can not be tested.

| Matter                             | Result |
|------------------------------------|--------|
| *4. RULES                          | Pass   |
| *4.1 General Rules #(See Note 1,2) | Pass   |

**# NOTE 2: 4.1 Parameters Considered For General Requirements**

Cellulose nitrate

Washing Process \*\* : Not applied

\*\*( Cleaning process apply to the product in necessary situations for appropriate clauses of EN 71-2 according to instructions that given on toy or if there is no instructions apply pursuant to indicate in standard.)

Type of Gas : Butane Gas (Gas which used in test burner)

The test results thus obtained can not be considered as providing an overall indication of the potential fire hazard of toys or materials when subjected to other sources of ignition.

Condition Parameters: 65±5 %RH ; 20±5°C at least 7 hour

Test Atmosphere: 10°C - 30°C / 15-80 %RH

**TEST REPORT****\*DETERMINATION OF PHTHALATES**

CPSC-CH-C1001.09:2018 [BAKANLIK]

Analyzed by: GC-MS

| Controlled Compounds               | CAS Number            | Part 001+002 | Part 003+004 | Reporting Limit (mg/kg) |
|------------------------------------|-----------------------|--------------|--------------|-------------------------|
| *Di-iso-nonyl phthalate (DINP)     | 28553-12-0/68515-48-0 | <60          | <60          | 60                      |
| *Di-n-octylphthalate (DNOP)        | 117-84-0              | <60          | <60          | 60                      |
| *Di-(2-ethylhexyl)-phtalete (DEHP) | 117-81-7              | <60          | <60          | 60                      |
| *Di-isodecyl phtalate (DIDP)       | 26761-40-0/68515-49-1 | <60          | <60          | 60                      |
| *Butylbenzyl phthalate (BBP)       | 85-68-7               | <60          | <60          | 60                      |
| *Dibutyl phthalate (DBP)           | 84-74-2               | <60          | <60          | 60                      |
| *TOTAL(DBP+ DEHP+ BBP)             |                       | <60          | <60          | 60                      |
| *TOTAL (DINP+ DNOP+ DIDP)          |                       | <60          | <60          | 60                      |
| Result                             |                       | Pass         | Pass         |                         |

Forbidden Compounds : LIMIT (MAX.) = Each Compounds 1000ppm; Total DBP, DEHP, BBP &lt; 1000 ppm; Total DINP, DNOP, DIDP &lt; 1000 ppm

Limit Value :It is given by the EU Regulation 1907/2006 (REACH), Annex XVII Entry 51&amp;52

**\*SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 3**

EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K3

Analyzed by: ICP-MS

| Controlled Compounds | CAS Number | Part 001 | Part 002 | Part 003 | Part 004 | Part 005 | Limiting Value (mg/kg) | Reporting Limit (mg/kg) |
|----------------------|------------|----------|----------|----------|----------|----------|------------------------|-------------------------|
| *Aluminium (Al)      | 7429-90-5  | 1.520    | 127      | <0,125   | 648      | 83       | 28130                  | 0,125                   |
| *Antimony (Sb)       | 7440-36-0  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 560                    | 0,125                   |
| *Arsenic (As)        | 7440-38-2  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 47                     | 0,125                   |
| *Copper (Cu)         | 7440-50-8  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 7700                   | 0,125                   |
| *Barium (Ba)         | 7440-39-3  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 18750                  | 0,125                   |
| *Boron (B)           | 7440-42-8  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 15000                  | 0,125                   |
| *Mercury (Hg)        | 7439-97-6  | <0,0125  | <0,0125  | <0,0125  | <0,0125  | <0,0125  | 94                     | 0,0125                  |
| *Zinc (Zn)           | 7440-66-6  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 46000                  | 0,125                   |
| *Cadmium (Cd)        | 7440-43-9  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 17                     | 0,125                   |
| *Tin (Sn)            | 7440-31-5  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 180000                 | 0,125                   |
| *Cobalt (Co)         | 7440-48-4  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 130                    | 0,125                   |
| *Chromium (Cr +3)    | 7440-47-3  | <0,47    | <0,47    | <0,47    | <0,47    | <0,47    | 460                    | 0,47                    |
| *Chromium (Cr +6)    | 18540-29-9 | <0,001   | <0,001   | <0,001   | <0,001   | <0,001   | 0,053                  | 0,001                   |
| *Lead (Pb)           | 7439-92-1  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 23                     | 0,125                   |
| *Manganese (Mn)      | 7439-96-5  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 15000                  | 0,125                   |
| *Nickel (Ni)         | 7440-02-0  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 930                    | 0,125                   |
| *Selenium (Se)       | 7782-49-2  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 460                    | 0,125                   |
| *Strontium (Sr)      | 7440-24-6  | <0,125   | <0,125   | <0,125   | <0,125   | <0,125   | 56000                  | 0,125                   |
| *Organic Tin*        | -          | <0,02    | <0,02    | <0,02    | <0,02    | <0,02    | 12                     | 0,02                    |
| Result               |            | Pass     | Pass     | Pass     | Pass     | Pass     |                        |                         |

Limit Value : It is given by Safety of toys Part 3: Migration of certain elements- Scraped-off Materials, Category 3.

**TEST REPORT****\*DETERMINATION OF PAH's**

AfPS GS:2019:01

Analyzed by: GC-MS

| Controlled Compounds   | CAS Number | Part 001+002 | Part 003+004 | Limiting Value (mg/kg) | Reporting Limit (mg/kg) |
|------------------------|------------|--------------|--------------|------------------------|-------------------------|
| *Benzo(e)pyrene        | 192-97-2   | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Benzo[j]fluoranthene  | 205-82-3   | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Benz[a]anthracene     | 56-55-3    | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Benzo[k]fluoranthene  | 207-08-9   | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Benzo[a]pyrene        | 50-32-8    | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Chrysene              | 218-01-9   | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Dibenz[a,h]anthracene | 53-70-3    | <0,1         | <0,1         | 0,5                    | 0,1                     |
| *Benz[b]fluoranthene   | 205-99-2   | <0,1         | <0,1         | 0,5                    | 0,1                     |
| Result                 |            | Pass         | Pass         |                        |                         |

Limit Value : 23.06.2017 dated 30105 and published in the Official Gazette dated 23.06.2017 and numbered 30105, was made within the framework of the Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals (KKDIK)