

Form LG.044/Rev:0

TEST RAPORU

REPORT NUMBER: TURT190127438

APPLICANT NAME Bilgi Dağ. Kitap Kırt. ve Büro Malz. Tic. Ltd. Şti.

ADDRESS Merkez Mah. 29 Ekim Cad.No:53 Bahçelievler/İstanbul

Tel: 0212 551 00 92 Fax:0212 551 09 57

Attention: Efe Yüksel (efe@bilgi-dagitim.com)

SAMPLE DESCRIPTION: One sample of Glitter glue

BUYER: METRO BTS

DATE IN: 12 July, 2019 (09:59)

DATE OUT : 26 July, 2019

MANUFACTURER: BİLGİ DAĞ KİTAP KIRT. VE BÜRO MALZ. TİC. LTD ŞTİ.

ITEM CODE: BP499

PHOTO OF PRODUCT TESTED SAMPLE:



RESULTS: See Attachment

Degust /25 hres

Begüm Nazlı Traş Customer Care Executive Fr

Zeynep AKIN Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55 e-mail : intertekcg.turkiye@intertek.com





Total Quality, Assured.

TÜRKASI V

R E S U L T S Page 2 of 7
REPORT : TURT190127438 Page 2 of 7
26 July, 2019

RESULTS:

| REGULTO: | | | | | | |
|--|--|------|------|---|----------------------------|-----------------------|
| Analysis Parameter | Reference Analysis Method | PASS | FAIL | Norm Limit | Standard for Norm Limit | Tested Part |
| Migration Of Certain Elements | EN 71-3:2013+A3:2018 | Р | - | See Toxic Element Analysis | Toys Safety Directive | Part 5,6,11,12 |
| Total Phthalate Content | INTERTEK IHTM AL.2.026 based on EN 14372 : 2004 according to REACH Regulation | Р | - | DBP/DEHP/BBP: 1000 ppm DINP/DNOP/ DIDP :1000 ppm | KKDIK | Part 1,2,4-6,9- 12 |
| Volatile Organic Compounds Screening | IHTM AL.2.409 with HS- Screening GC/MS | Р | - | See Volatile Organic Compounds Screening page | - | Part 2 |

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.



Total Quality. Assured.



R E S U L T S Page 3 of 7
REPORT : TURT190127438 Page 3 of 7
26 July, 2019

| Part No | Tested Part |
|---------|-------------------------------|
| 1 | Gold glitter print with glue |
| 2 | Sliver glitter print wit glue |
| 3 | Red glitter print with glue |
| 4 | Blue glitter print with glue |
| 5 | Tranparent plastic body |
| 6 | Green plastic cover |
| 7 | Blue plastic cover |
| 8 | Red plastic cover |
| 9 | Gold plastic cover |
| 10 | Grey plastic cover |
| 11 | Multicolor sticker |
| 12 | Green glitter print with glue |

Remark: Only suitable parts tested for the related tests.



Total Quality, Assured.



R E S U L T S Page 4 of 7
REPORT : TURT190127438 Page 4 of 7
26 July, 2019

MIGRATION OF CERTAIN ELEMENTS

EN 71-3:2013+A3:2018

Acid extraction method was used and migration elements content were determined by Inductively Coupled Plasma-ICP_MS.

| | Resul | | | Detection Limi | Requirements | |
|-------------------|--------|--------|----------------|----------------|-------------------------|--|
| | Part 5 | Part 6 | <u>Part 11</u> | (mg/kg) | (mg/kg) Category III | |
| Antimony (Sb) | ND | ND | ND | 0,125 | 560 | |
| Arsenic (As) | ND | ND | ND | 0,125 | 47 | |
| Barium (Ba) | ND | ND | 2.6 | 0,125 | 18750 | |
| Cadmium (Cd) | ND | ND | ND | 0,125 | 17 | |
| Chromium (III) ++ | ND | ND | ND | 0,125 | 460 | |
| Chromium (VI) ++ | ND | ND | ND | 0,125 | 0,2 | |
| Lead (Pb) | ND | ND | ND | 0,125 | 23 | |
| Mercury (Hg) | ND | ND | ND | 0,0125 | 94 | |
| Selenium (Se) | ND | ND | ND | 0,125 | 460 | |
| Aluminium (Al) | ND | ND | 4.4 | 0,125 | 70000 | |
| Boron (B) | ND | ND | 1.1 | 0,125 | 15000 | |
| Cobalt (Co) | ND | ND | ND | 0,125 | 130 | |
| Copper (Cu) | ND | ND | ND | 0,125 | 7700 | |
| Manganese (Mn) | ND | ND | ND | 0,125 | 15000 | |
| Nickel (Ni) | ND | ND | ND | 0,125 | 930 | |
| Strontium (Sr) | ND | ND | ND | 0,125 | 56000 | |
| Tin (Sn) | ND | ND | ND | 1,25 | 180000 | |
| Organic tin ++ | ND | ND | ND | 0,125 | 12 | |
| Zinc (Zn) | ND | ND | 1.0 | 0,125 | 46000 | |

^{**=} Unless the test results were marked with "#" or "\D", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

 ppm (Part per million)
 =mg / kg

 <</td>
 =Less Than

 ND
 =Not Detected

^{# =} Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium - migration value of Chromium(VI).

 $[\]Delta$ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Organotins which are specified Table 3 and Annex J -Table J.1 after converted to Tributyl tin by calculation.



Total Quality. Assured.



R E S U L T S Page 5 of 7
REPORT : TURT190127438 Page 5 of 7
26 July, 2019

MIGRATION OF CERTAIN ELEMENTS

EN 71-3:2013+A3:2018

Acid extraction method was used and migration elements content were determined by Inductively Coupled Plasma-ICP_MS.

| | Results (mg/kg) | | Detection Limit | Requirements (mg/kg) |
|-------------------|-----------------|--|-----------------|----------------------|
| | <u>Part 12</u> | | (mg/kg) | Category II |
| Antimony (Sb) | ND | | 0,125 | 11,3 |
| Arsenic (As) | ND | | 0,125 | 0,9 |
| Barium (Ba) | 1.7 | | 0,125 | 375 |
| Cadmium (Cd) | ND | | 0,125 | 0,3 |
| Chromium (III) ++ | ND | | 0,125 | 9,4 |
| Chromium (VI) ++ | ND | | 0,125 | 0,005 |
| Lead (Pb) | ND | | 0,125 | 0.5 |
| Mercury (Hg) | ND | | 0,0125 | 1,9 |
| Selenium (Se) | ND | | 0,125 | 9,4 |
| Aluminium (AI) | 24.4 | | 0,125 | 1406 |
| Boron (B) | 3.8 | | 0,125 | 300 |
| Cobalt (Co) | ND | | 0,125 | 2,6 |
| Copper (Cu) | 0.4 | | 0,125 | 156 |
| Manganese (Mn) | ND | | 0,125 | 300 |
| Nickel (Ni) | ND | | 0,125 | 18,8 |
| Strontium (Sr) | 7.8 | | 0,125 | 1125 |
| Tin (Sn) | ND | | 1,25 | 3750 |
| Organic tin ++ | ND | | 0,125 | 0,2 |
| Zinc (Zn) | ND | | 0,125 | 938 |

⁺⁺= Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

 ppm (Part per million)
 =mg / kg

 <</td>
 =Less Than

 ND
 =Not Detected

^{# =} Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium - migration value of Chromium(VI).

 $[\]Delta$ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Organotins which are specified Table 3 and Annex J -Table J.1 after converted to Tributyl tin by calculation.



Total Quality. Assured.



R E S U L T S Page 6 of 7
REPORT : TURT190127438 Page 6 of 7
26 July, 2019

TOTAL PHTHALATE CONTENT

INTERTEK IHTM AL.2.026 based on EN 14372: 2004 according to REACH Regulation

| | Part 1 | Part 2 | Part 4 | Part 5&10 |
|--------------------------------|--------|--------|--------|-----------|
| DIBUTYL PHTHALATE (DBP) | ND | ND | ND | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND | ND | ND | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND | ND | ND | ND |
| SUM OF THREE PHTHALATES | ND | ND | ND | ND |
| | | | | |
| DI-ISO-NONYL PHTHALATE (DINP) | ND | ND | ND | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND | ND | ND | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND | ND | ND | ND |
| SUM OF THREE PHTHALATES | ND | ND | ND | ND |

| | Part 6&9&10 | Part 11 | Part 12 |
|--------------------------------|-------------|---------|---------|
| DIBUTYL PHTHALATE (DBP) | ND | ND | ND |
| DIETHYL HEXYL PHTHALATE (DEHP) | ND | ND | ND |
| BENZYL BUTYL PHTHALATE (BBP) | ND | ND | ND |
| SUM OF THREE PHTHALATES | ND | ND | ND |
| | | | |
| DI-ISO-NONYL PHTHALATE (DINP) | ND | ND | ND |
| DI-N-OCTYL PHTHALATE (DNOP) | ND | ND | ND |
| DI-ISO-DECYL PHTHALATE (DIDP) | ND | ND | ND |
| SUM OF THREE PHTHALATES | ND | ND | ND |

ND =Not Detected ppm (part per million) =mg / kg

Detection Limit = DINP,DIDP : 100 ppm, Other Phthalates : 10 ppm

=Less Than=EXCEEDED LIMIT

LIMIT (MAX.) =DBP,DEHP,BBP < 1000 ppm ; DINP, DNOP, DIDP < 1000 ppm





Page 7 of 7 RESULTS REPORT: TURT190127438 26 July, 2019

VOLATILE ORGANIC COMPOUNDS

IHTM AL.2.409 with HS-Screening GC/MS

Part 2

| SOLVENT NAME | CAS NO. | RESULT | |
|---|-----------|--------------|--|
| Toluene | 108-88-3 | Not Detected | |
| Styrene | 100-42-6 | Not Detected | |
| Butadiene | 106-99-1 | Not Detected | |
| Kloroetilen (vinil klorür) | 75-01-4 | Not Detected | |
| Benzene | 71-43-3 | Not Detected | |
| Aseton | 67-64-1 | Not Detected | |
| 1,1,2 Trikloretan | 79-00-5 | Not Detected | |
| Perkloretilen (Tetrachloroethene, Tetrachloroethylene, Perchloroethene; Perchloroethylene; Perc; PCE) | 127-18-4 | Not Detected | |
| 1,2 diklorpropan (Propylene dichloride) | 78-87-5 | Not Detected | |
| 1,1,2,2 Tetrakloretan | 79-34-5 | Not Detected | |
| 1,1,1,2 Tetrakloretan | 630-20-6 | Not Detected | |
| Carbon Tetrachloride | 56-23-5 | Not Detected | |
| Chloroform | 67-66-3 | Not Detected | |
| Cyclohexanone | 108-94-1 | Not Detected | |
| 1,2 Dichloroethane | 107-06-2 | Not Detected | |
| 1,1-Dichloroethylene | 75-35-4 | Not Detected | |
| Dimethylacetamide (DMAC) N,N-Dimethylacetamide | 127-19-5 | Not Detected | |
| Ethylbenzene | 100-41-4 | Not Detected | |
| Pentachloroethane | 76-01-7 | Not Detected | |
| 1,1,1-Trichloroethylene | 79-01-6 | Not Detected | |
| | 1330-20-7 | Not Detected | |
| Vidence (mate authorized) | 108-38-3 | Not Detected | |
| Xylenes (meta-, ortho-, para-) | 95-47-6 | Not Detected | |
| | 106-42-3 | Not Detected | |
| 1-Methyl-2-pyrrolidone | 872-50-4 | Not Detected | |
| N,N-Dimetylformamide | 68-12-2 | Not Detected | |
| 1,2,3-trichloropropane | 96-18-4 | Not Detected | |
| 1,1,1-Trichloroethane | 71-55-6 | Not Detected | |
| Dichloromethane | 75-09-2 | Not Detected | |

Detection Limit: 5ppm

Ppm (part per million): 1 mg/kg Requirement : Total 1000 ppm

END OF TEST REPORT